www.cortartec.net



Ceramic Edge Profiles



Trim and Level Difference Profiles



Aluminium ve PVC Skirtings






Aluminium Entrance Mat Systems



Flexible PVC Skirtings

Aluminium and Stainless Steel Movement Joint Profiles



Tangible Surface Products



Terrazo Finishing Profiles




























www.cortartec.net

Aluminium Skirting Profiles

ASP 60

ASP 75







ASP60... It can be applied in all types floor coverings 60 mm height, with easy mounting clip aluminium skirting profiles...


Product Length; 3,00 LM







ASP75... It can be applied in all types floor coverings 75 mm height, with easy mounting clip aluminium skirting profiles... Product Length; 3,00 LM



www.cortartec.net


*Different surface options *Powder coating in RAL colors

www.cortartec.net

Aluminium Skirting Profiles

ASP 80












ASP80... It can be applied in all types floor coverings 80 mm height, with easy mounting clip aluminium skirting profiles...


<u>Product Length</u>; 3,00 LM **Note**; Finishing parts are PVC











Note; Finishing part are Aluminium






Aluminium Skirting Profiles

ASP 85







ASP85... 85 mm height aluminium skirting profiles...

Product Length; 3,00 LM



ASP 90





ASP90... It can be applied in all types floor coverings
90 mm height, with easy mounting
clip aluminium skirting profiles...


Product Length; 3,00 LM
Note; Finishing part are Aluminium





Aluminium Skirting Profiles

ASP 91



ASP91... 90 mm height aluminium skirting profile; can be applied with screws or bonding method...

Product Length; 3,00 LM



ASP 94



ASP94... It can be applied in all types floor skirting profiles with aluminium holder profile...

Product Length; 3,00 LM



94

www.cortartec.net

Aluminium Skirting Profiles ASP 100 13 100 ASP100... It can be applied in all types floor coverings 100 mm height, with easy mounting clip aluminium skirting profiles... Product Length; 3,00 LM **ASP 120** 13 120 ASP120... It can be applied in all types floor coverings 120 mm height, with easy mounting

ASP15

Left End & External Corner ASP14

clip aluminium skirting profiles...


Product Length; 3,00 LM



PVC Skirting Profiles

PS 45


PS 53




Decorative skirtings fully compatible with parquet, ceramic, granite, marble, carpet etc... Application Method; Easy to apply with adhesive Product Length; 3,00 LM Color Options; Powder coating in RAL colors

53

Decorative skirtings fully compatible with carpet aplications Lightweight and economical... Application Method; Easy to apply with adhesive Product Length; 3,00 LM Color Options; Powder coating in RAL colors



Decorative skirtings fully compatible with parquet, ceramic, granite, marble, carpet etc... Application Method; Easy to apply with adhesive Product Length; 3,00 LM Color Options; Powder coating in RAL colors




Decorative PVC skirting with cable channel fully compatible with parquet, ceramiz, granite, marble etc... Application Method; Easy to apply with screw and Product Length; 3,00 LM Color Options; RAL colors and wood colors

DC 101

PS 60







Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM


Color Options; Silver and gold anodized



SB 10



SB 11



Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...


Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM


Color Options; Silver and gold anodized





Stair Nosing Profiles





Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc... **Application Method;** Easy to apply with adhesive or screw

<u>Product Length</u>; 2,70 LM Color Options; Silver and gold anodized

28


SB 11

SB 1012

Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM

Color Options; Silver and gold anodized




MB 55P

Decorative stair nosing fully compatible with PVC flour covering...

Application Method; Easy to apply with adhesive

<u>Product Length;</u> 2,70 LM

Color Options; Powder coating in RAL colors




MB 76

Decorative stair nosing fully compatible with PVC flour covering...

Application Method; Easy to apply with adhesive Product Length; 2,70 LM


Color Options; Powder coating in RAL colors



Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM Color Options; Silver and gold anodized







Decorative trim profiles with hidden screw channel. Fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

Trim and Level Difference Profiles

GP 41



GP 01




Fully compatible with parquet, ceramic, granite and marble lightwight... Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized






Trim and Level Difference Profiles

GP 25




Fully compatible with parquet, ceramic, granite and marble lightwight... Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 30




Decorative trim profiles with hidden screw channel. Fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 30-2




Fully compatible with parquet, ceramic, granite and marble lightwight... Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 32



Fully compatible with parquet, ceramic, granite and marble lightwight... Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 35



Fully compatible with parquet, ceramic, granite and marble lightwight... Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized





Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM


Color Options; Silver and gold anodized



KF 28







Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM

Color Options; Silver and gold anodized









Trim and Level Difference Profiles

KF 45




Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 37




Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 38




Decorative level difference fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 39




Decorative level difference fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

GP 50



Decorative level difference fully compatible with parquet, ceramic, granite, marble etc... Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

www.cortartec.net




Decorative carpet and parquet edge profiles fully compatible with all types of flooring materials Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized

Carpet and Parquet Finishing Profiles

HB 12



HB 14




Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles Application Method; Easy to apply with adhesive or screw Product Length; 2,70 LM Color Options; Silver and gold anodized





Carpet and Parquet Finishing Profiles

HB 15




Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM


Color Options; Silver and gold anodized

HB 16



Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles
Application Method; Easy to apply with adhesive or screw
Product Length; 2,70 LM
Color Options; Silver and gold anodized

HB 17



Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles
Application Method; Easy to apply with adhesive or screw
Product Length; 2,70 LM
Color Options; Silver and gold anodized





Ceramic Edge and Terrazo Finishing Profiles

SB 02






8 mm aluminium ceramic outer edge profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized







12 mm aluminium ceramic outer edge profile...

<u>Produ</u>ct Length; 2,70 LM

Color Options; Silver and gold anodized







Ceramic Edge and Terrazo Finishing Profiles

SB 0206

8 mm aluminium ceramic outer edge profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 0201




8 mm aluminium ceramic outer edge profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 03



8 mm aluminium ceramic outer edge profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

> **SB 0106 SB 0108**



6 mm (SB 0106) & 8 mm (SB 0108) PVC ceramic outer edge profile... Product Length; 2,70 LM Color Options; Standart color bellow

Renkler



SB 0110 SB 0112



10 mm (SB 0106) & 12 mm (SB 0108) PVC ceramic outer edge profile... Product Length; 2,70 LM Color Options; Standart color bellow



Ceramic Edge and Terrazo Finishing Profiles

SB 05



10 mm aluminium ceramic edge profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized



SB 08



12 mm aluminium ceramic vertical end profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized





Ceramic Edge and Terrazo Finishing Profiles

SB 04



8 mm aluminium ceramic edge profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 06



8 mm aluminium ceramic vertical end profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 07




10 mm aluminium ceramic vertical end profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 15



15 mm aluminium ceramic vertical end profile... Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 09



10 mm aluminium ceramic level difference profile... Product Length; 2,70 LM Color Options; Silver and gold anodized



Ceramic Edge and Terrazo Finishing Profiles

İK 08



8 mm aluminium ceramic inner corner profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized



İK 10



10 mm aluminium ceramic inner corner profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized





Ceramic Edge and Terrazo Finishing Profiles

İK 12



12 mm aluminium ceramic inner corner profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized

İK10P



10 mm PVC ceramic inner corner profile...

Product Length; 2,70 LM
Color Options; Standart color bellow


İK 20



20*20 mm aluminium ceramic inner corner profile...

Product Length; 2,70 LM
Color Options; Silver and gold anodized

Terrazo Profiles




Decorative dividing profiles. Made of aluminium and are ideal for use in terraced flooring surfaces.

www.cortartec.net

Bath-tub, Decorative Ceramic Profiles

İK 27





Decorative one-piece tub edge profile ideal for bath-tub and kitchen sink...

Application Method; Easy to apply with adhesive
Product Length; 2,70 LM
Color Options; White



iK 30





Decorative one-piece tub edge profile ideal for bath-tub and kitchen sink...


Application Method; Easy to apply with adhesive
Product Length; 2,70 LM
Color Options; White





Bath-tub, Decorative Ceramic Profiles


İK 22



Decorative one-piece tub edge profile ideal for bath-tub and kitchen sink...

Application Method; Easy to apply with adhesive
Product Length; 2,70 LM
Color Options; White

DK 20 DK 25




20*20 mm (DK 20) & 25*25 mm (DK 25) aluminium corner guard profiles

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized




DK 30

20*20 mm (DK 20) & 25*25 mm (DK 25) aluminium corner guard profiles

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized



DK 40

20*20 mm (DK 20) & 25*25 mm (DK 25) aluminium corner guard profiles

Application Method; Easy to apply with adhesive


Product Length; 2,70 LM

Color Options; Silver and gold anodized



Bath-tub, Decorative Ceramic Profiles

SB 20



Trim profiles compatible with parquet, ceramic, granite, marble, carpet etc.


Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized



DP 04



Aluminium border profiles ideal for decorative apperance in ceramic applications

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized





Bath-tub, Decorative Ceramic Profiles

SB 14




T shape trim profiles compatible with parquet, ceramic, granite, marble, carpet etc. Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized

SB 25



T shape trim profiles compatible with parquet, ceramic, granite, marble, carpet etc. Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized


DP 03



Aluminium border profiles ideal for decorative apperance in ceramic applications Application Method; Easy to apply with adhesive Product Length; 2,70 LM

Color Options; Silver and gold anodized


DP 05



Aluminium border profiles ideal for decorative apperance in ceramic applications Application Method; Easy to apply with adhesive Product Length; 2,70 LM

Color Options; Silver and gold anodized

SB 05




Aluminium border profiles ideal for decorative apperance in ceramic applications Application Method; Easy to apply with adhesive Product Length; 2,70 LM Color Options; Silver and gold anodized



Elastic PVC Skirtings

PS 85








Used in PVC flooring applications, flexible PVC skirting with capped **Application Method;** Easy to apply with adhesive <u>Produ</u>ct Length; 25 LM **Color Options;** 50 color options




PS 7510







This product is used in PVC flooring application as a skirting **Application Method**; Easy to apply with adhesive **Product Length**; 50 LM **Color Options**; 50 color options













100 PS 10010






INDOOR MAT SYSTEMS

HH 01



It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.






INDOOR MAT SYSTEMS

HS 02



It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.








INDOOR MAT SYSTEMS



HF 03








It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




INDOOR MAT SYSTEMS

HH 04





It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.





INDOOR MAT SYSTEMS


HH 05



It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.








INDOOR MAT SYSTEMS

HH 06



It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.







INDOOR MAT SYSTEMS


HH 07



It is an indoor mat system cathing dirt and mud by means of its aluminium profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.










OUTDOOR MAT SYSTEMS

KK 06








It is an outdoor mat system cathing dirt and mud by means of its rubber strips located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.





OUTDOOR MAT SYSTEMS


KS 07



It is an outdoor mat system cathing dirt and mud by means of its rubber strips and aluminium scrapers located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.








OUTDOOR MAT SYSTEMS

KF 07



It is an outdoor mat system cathing dirt and mud by means of its rubber strips and brushes scrapers located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.











OUTDOOR MAT SYSTEMS

KF 08



It is an outdoor mat system cathing dirt and mud by means of its rubber strips and strong rigid brushes located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.






OUTDOOR MAT SYSTEMS

KF 09



It is an outdoor mat system cathing dirt and mud by means of its strong brushes and aluminium scrapers located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a spesific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.






www.cortartec.net

DP08-12


Movement Joint Profiles




Stainless steel with Neopren insert moviment joint profiles. Ideal for 12mm floor covering.



DP08-14



Stainless steel with Neopren insert moviment joint profiles. Ideal for 14mm floor covering.



Stainless steel with Neopren insert moviment joint profiles. Ideal for 16mm floor covering.













www.cortartec.net














www.cortartec.net

DP01-6


Movement Joint Profiles




Aluminium with Neopren insert moviment joint profiles. Ideal for 6mm floor covering.



DP01-8



Aluminium with Neopren insert moviment joint profiles. Ideal for 8mm floor covering.



Alüminium with Neopren insert moviment joint profiles. Ideal for 10mm floor covering.










www.cortartec.net

DP01-12


Movement Joint Profiles




Aluminium with Neopren insert moviment joint profiles. Ideal for 12mm floor covering.



DP01-14



Aluminium with Neopren insert moviment joint profiles. Ideal for 14mm floor covering.



Alüminium with Neopren insert moviment joint profiles. Ideal for 16mm floor covering.










www.cortartec.net

DP01-23


Movement Joint Profiles



Aluminium with Neopren insert moviment joint profiles. Ideal for 23mm floor covering.




DP02-10



PVC thermal moviment joint profiles. Ideal for 10mm floor covering.



DP02-12



PVC thermal moviment joint profiles. Ideal for 10mm floor covering.








www.cortartec.net


DP02-15

Movement Joint Profiles




PVC thermal moviment joint profiles. Ideal for 15mm floor covering.





PVC thermal moviment joint profiles. Ideal for 48mm floor covering.





PVC thermal moviment joint profiles. Ideal for 35mm floor covering.











www.cortartec.net





40*40 cm polyurethane tangible surface walk plate.










www.cortartec.net

YI 003

28 cm polyurethane self-adhesive tangible surface walk line.





28 mm polyurethane self-adhesive tangible surface waiting points.







Tangible Surface Products


www.cortartec.net

YI 005


28 cm polyurethane hidden screw tangible surface walk line.

Tangible Surface Products

















www.cortartec.net



28 cm stainless steel self-adhesive tangible surface walk line.




28 mm stainless steel self-adhesive tangible surface waiting points.











www.cortartec.net




28 cm stainless steel hidden screw tangible surface walk line.



28 mm stainless steel hidden screw tangible surface waiting points.











www.cortartec.net





www.cortartec.net

Portugal - Loures | Algerie - Alge | Angola - Luanda | Brasil - Rio de Janeiro | España - Madri | Venezuela - Caracas | Perú - Lima | (+351) 219824133 | (+213) 983 200261 | 0808 3511 219 824 133 | +55) 21 40420115 | (+34) 91 0831913 | (+58) 212 7202555 | (+51) 1 6419222 | (+51) 1 6419222 | (+51) 1 6419222 | (+52) 21 202555 | (+52) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 21 202555 | (+53) 202555 | (+53) 202555 | (+53) 202555 | (+53) 202555 | (+53) 202555 | (+53) 202555 | (+53) 202555 | (+53) 202555